# <u>Saver</u>Systems®

# MATERIAL SAFETY DATA SHEET

800 S. 7th Street Richmond. IN 47374 (765) 966-5084

Product Name: DEFY EXTREME EXTERIOR CLEAR WOOD STAIN<sup>®</sup> Date: 12-16-09

MSDS Number: TG-121

CAS Number: Mixture

**Prepared by:** Greg Herbert

## **SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION**

Principal hazardous component(s) (chemical & common names)p.c.Threshold Limit Value (units)Propylene Glycol\*Aqua ammonia\*\*Percentage content of ingredients withheld as a trade secret pursuant to Massachusetts regulations\*

## SECTION 2 - PHYSICAL & CHEMICAL CHARACTERISTICS

Appearance and odor:	
Boiling point:	Above 212° F
Vapor pressure (mm Hg and temperature):	NA
Vapor density (air = 1):	Heavier than air
Evaporation rate:	Slower than ether
Solubility in water:	Soluble
Water reactive:	NA
Specific gravity:	1.02
% volatile by volume:	NA

# SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

Flash point and method used:	Does not flash
Auto-ignition temperature:	NA
Flammability limits in air % by volume:	NA
Extinguishing media:	Carbon dioxide, dry chemical, or water.
Special fire fighting procedures:	None
Unusual fire and explosion hazards:	Not considered a fire hazard when involved
	in a fire. Does not contribute any unusual
	hazards.

# SECTION 4 - REACTIVITY HAZARD DATA

Stability:	Stable
Conditions to avoid:	
Incompatibility (materials to avoid):	<b>3</b>
Hazardous decomposition products:	Carbon monoxide and carbon dioxide
Hazardous polymerization:	Will not occur.
Conditions to avoid:	NA

#### **SECTION 5 - HEALTH HAZARD DATA**

Primary routes of entry: <u>X</u> Inhalation <u>X</u>	Skin Absorption	X Ingestion	 Not Hazardous
Carcinogen listed in:			
NTP	IARC Monograph	OSHA	 Not Listed
Signs and symptoms of exposure	: Severe irritation		

#### **HEALTH HAZARDS**

Acute and chronic overexposure: Eyes: can cause irritation. Skin: can cause irritation - widespread or frequent contact may result in absorption of potentially harmful amounts which have been shown to cause damage to kidneys, liver, and blood in laboratory animals. Swallowing: may result in damage to tissue and internal organs.

**Medical conditions generally aggravated by exposure:** Defatting, drying of skin, dermatitis. Eye or skin irritation.

**Emergency and first aid procedures -** Seek medical assistance for further treatment, observation, and support.

Eye contact: Flush with large amounts of water. Get medical attention.

Skin contact: Flush with large amounts of water. Get medical attention.

Inhalation: Remove to fresh air. Get medical attention.

**Ingestion:** Give two (2) glasses of water, induce vomiting by Ipecac syrup or other means. Get medical attention immediately.

## SECTION 6 - CONTROL AND PROTECTIVE MEASURES

Respiratory protection (specify type): Insure adequate ventilation

Protective gloves: Water resistant gloves Eye protection: Chemical splash goggles

Ventilation:

Local exhaust:Mechanical (general):Special:Other protective clothing and equipment:Wear impervious clothing and boots.Hygienic work practices:Wash thoroughly with soap and water after use.

# SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES

**Steps to be taken if material is spilled or released:** Large spills: evacuate area of unprotected personnel. Dike and contain and transfer to salvage vessel. Soak up remaining material with absorbent material. Small spills: soak up spill with absorbent material.

Waste disposal methods: In accordance with local, state, and federal regulations.

**Precautions to be taken in handling and storage:** Keep containers closed. Store in a cool, dry place. Protect from freezing.

Other precautions and/or special hazards: None

NFPA Rating:	Health	2	Flammability 0	Reactivity 0	Special 0
HMIS Rating:	Health	2	Flammability 0	Reactivity 0	Special <u>H</u>